

[NY State logo]

Help is Available

Talk to Your Offender Rehabilitation Coordinator


[DOCCS LOGO + OASAS LOGO]

Slide 2



**OPIOIDS** 


Slide 3



192 people DIE every DAY from an OVERDOSE in the United States

That's 70,000 DEATHS per year

Slide 4



That's 70,000 DEATHS per year

Enough to fill an entire football stadium

# Slide 5

# **DIFFERENT TYPES OF OPIOIDS**

**■**Heroin

**DIFFERENT TYPES OF OPIOIDS** 

Heroin Oxycontin Vicodin Fentanyl Carfentanil

# Slide 6



Heroin Oxycontin Vicodin Fentanyl Carfentanil

Highly ADDICTIVE Continued use leads to WITHDRAWAL Sold on the street with no awareness if CUT or MIXED




### **LETHAL DOSES**

Carfentanil
is 5,000 times MORE powerful than
heroin, making it EXTREMELY
DANGEROUS

Heroin Fentanyl Carfentanil

### Slide 8



FIRST 2 WEEKS after release from JAIL

129x more likely the risk of OVERDOSING

11x risk of DYING

NO TOLERANCE + Dangerous Opioids = OVERDOSE RISK

### Slide 9



**GETTING HELP** 

**TALK** 

Talk to your assigned Offender Rehabilitation Coordinator (ORC) about supportive services and treatment options available to you while incarcerated.



#### **GETTING HELP**

### PLAN

Have a plan to get into treatment when you are released

– Community Supervision.

Even though you may not have used in a long time, the stressors and challenges experienced following release may pose a great risk for relapse.

Temptation will be strong, and you may experience intense cravings to use again.

### Slide 11



### **GETTING HELP**

### **SUPPORT**

Identify recovery supports - family, friends, activities, hobbies, community-based treatment services, etc.

Religious, mental health, and volunteer services may also support you in your recovery.

Be sure to ask your Offender Rehabilitation Coordinator how to access self-help activities, like Alcoholics Anonymous and Narcotics Anonymous, as well.



# **GETTING HELP**

### **SUPPORT**

Your Parole Officer and/or Re-entry Task Force will also assist you upon release. There are programs in the community designed to help you.

Recovery Centers and Re-entry Supports, and community-based organizations can help you make connections, get training, and offer activities to do in your free time.

### Slide 13



### **GETTING HELP**

### **TREATMENT**

Treatment can help and may even save your life!

The Department offers many treatment options which may be available to you.

Medication may become an important part of your plan for success.

Medication Assisted Treatment is designed to help prevent relapse.



Medication Assisted Treatment with Opioid Addiction

Methadone

Buprenorphine (Suboxone)

Are used to replace opioids

Prevents withdrawal symptoms and reduces cravings without producing the euphoria that opiates do

Naltrexone (Vivitrol)

Blocks the pain relief and/or "high"

These medications are available at many treatment programs

### Slide 15



Medication Assisted Treatment with Opioid Addiction

Methadone

Buprenorphine (Suboxone)

The key to their effectiveness is finding the proper dose. This involves starting at a lower dose and increasing it until the withdrawal symptoms are gone.

When stopping methadone or buprenorphine, withdrawal symptoms will occur. So, if the medication is to be stopped, a slow tapering down of the dose is helpful in reducing withdrawal symptoms.

These medications are available at many treatment programs

# Slide 16



Medication Assisted Treatment with Opioid Addiction

Methadone


Naltrexone (Vivitrol)

Blocks the pain relief and/or "high"

Is a monthly injection that blocks the effects of opioids

Will prevent overdose if you relapse

These medications are available at many treatment programs



# **OVERDOSE PREVENTION**

If an overdose occurs, Naloxone (Narcan) can reverse the overdose and save lives.

DOCCS will train you and provide you with a free Narcan kit when you are released.

### Slide 18



Recovery is Possible!

# Slide 19



[NY State logo]

Help is Available

Talk to Your O.R.C.

[DOCCS LOGO + OASAS LOGO]